




## Fixture photometric table

**Fixture model**  
**Color Force II 72**


Field 44°	Beam 20°	Magnification x 0.35 Mf	Candelas 86700 Cd	Lumens 18600 lm	Watts 660 w	Lumen/w 28.2 lm/w	
Throw Distance		Field Spread		Beam Spread		Full On	
m	ft	m	ft	m	ft	Lux	Footcandle
1.0 m	3.3 ft	0.8 m	2.7 ft	0.4 m	1.2 ft	86700 lx	8055 fc
2.0 m	6.6 ft	1.6 m	5.3 ft	0.7 m	2.3 ft	21675 lx	2014 fc
3.0 m	9.8 ft	2.4 m	8.0 ft	1.1 m	3.5 ft	9633 lx	895 fc
4.0 m	13.1 ft	3.2 m	10.6 ft	1.4 m	4.6 ft	5419 lx	503 fc
5.0 m	16.4 ft	4.0 m	13.3 ft	1.8 m	5.8 ft	3468 lx	322 fc
6.0 m	19.7 ft	4.8 m	15.9 ft	2.1 m	6.9 ft	2408 lx	224 fc
7.0 m	23.0 ft	5.7 m	18.6 ft	2.5 m	8.1 ft	1769 lx	164 fc
8.0 m	26.2 ft	6.5 m	21.2 ft	2.8 m	9.3 ft	1355 lx	126 fc
9.0 m	29.5 ft	7.3 m	23.9 ft	3.2 m	10.4 ft	1070 lx	99 fc
10.0 m	32.8 ft	8.1 m	26.5 ft	3.5 m	11.6 ft	867 lx	81 fc





## Fixture photometric table

**Fixture model**  
**Color Force II 72**  
**BorderLens**




Throw Distance	Field	Beam	Magnification	Candelas	Lumens	Watts	Lumen/w		
							74°	34°	x 0.61 Mf
m		ft		m		ft		Lux	Footcandle
1.0 m	3.3 ft	1.5 m	4.9 ft	0.6 m	2.0 ft	28800 lx	2676 fc		
2.0 m	6.6 ft	3.0 m	9.9 ft	1.2 m	4.0 ft	7200 lx	669 fc		
3.0 m	9.8 ft	4.5 m	14.8 ft	1.8 m	6.0 ft	3200 lx	297 fc		
4.0 m	13.1 ft	6.0 m	19.8 ft	2.4 m	8.0 ft	1800 lx	167 fc		
5.0 m	16.4 ft	7.5 m	24.7 ft	3.1 m	10.0 ft	1152 lx	107 fc		
6.0 m	19.7 ft	9.0 m	29.7 ft	3.7 m	12.0 ft	800 lx	74 fc		
7.0 m	23.0 ft	10.5 m	34.6 ft	4.3 m	14.0 ft	588 lx	55 fc		
8.0 m	26.2 ft	12.1 m	39.6 ft	4.9 m	16.0 ft	450 lx	42 fc		
9.0 m	29.5 ft	13.6 m	44.5 ft	5.5 m	18.1 ft	356 lx	33 fc		
10.0 m	32.8 ft	15.1 m	49.4 ft	6.1 m	20.1 ft	288 lx	27 fc		



## Fixture photometric table

**Fixture model**  
**Color Force II 72**  
**CycLens**



Field 68°	Beam 28°	Magnification x 0.50 Mf	Candelas 27400 Cd	Lumens 15800 lm	Watts 660 w	Lumen/w 24.0 lm/w		
Throw Distance		Field Spread		Beam Spread		Full On		
m	ft	m	ft	m	ft	Lux	Footcandle	
1.0 m	3.3 ft	1.3 m	4.4 ft	0.5 m	1.6 ft	27400 lx	2546 fc	
2.0 m	6.6 ft	2.7 m	8.9 ft	1.0 m	3.3 ft	6850 lx	636 fc	
3.0 m	9.8 ft	4.0 m	13.3 ft	1.5 m	4.9 ft	3044 lx	283 fc	
4.0 m	13.1 ft	5.4 m	17.7 ft	2.0 m	6.5 ft	1713 lx	159 fc	
5.0 m	16.4 ft	6.7 m	22.1 ft	2.5 m	8.2 ft	1096 lx	102 fc	
6.0 m	19.7 ft	8.1 m	26.6 ft	3.0 m	9.8 ft	761 lx	71 fc	
7.0 m	23.0 ft	9.4 m	31.0 ft	3.5 m	11.5 ft	559 lx	52 fc	
8.0 m	26.2 ft	10.8 m	35.4 ft	4.0 m	13.1 ft	428 lx	40 fc	
9.0 m	29.5 ft	12.1 m	39.8 ft	4.5 m	14.7 ft	338 lx	31 fc	
10.0 m	32.8 ft	13.5 m	44.3 ft	5.0 m	16.4 ft	274 lx	25 fc	